

## TUBI IN TEKNOPRENE® GOMMA TERMOPLASTICA



### Teknoprene®

**Teknoprene® TPV:** ideale per pompe peristaltiche, per il trasferimento e dosaggio di acidi e basici, anche contenenti impurità o schiumogeni.

**Teknoprene®** SIL: ideale per pompaggio e movimentazione di liquidi delicati, alimentari e farmaceutici. **Teknoprene®** HCR: ideale per pompe peristaltiche, per il trasferimento di liquidi aggressivi quali idrocarburi

**Teknoprene® FKM:** ideale per pompe peristaltiche, dosaggio di liquidi molto aggressivi quali idrocarburi, solventi, chetoni, acidi e basi concentrati.





Lavoriamo correntemente assieme ai principali costruttori e utilizzatori di **pompe peristaltiche**, sviluppando tubi in diverse configurazioni, come **matasse** o **spezzonati**, per soddisfare ogni esigenza. Inoltre, possiamo realizzare **tubi in gomma colorati** su richiesta del cliente. Abbiamo un **ampio stock di misure standard** sempre a disposizione. Possiamo fornire anche tubi in dimensioni speciali su richiesta del cliente. Forniamo anche la possibilità di realizzare pulizie interne sulle matasse di tubo.

Misure standard disponibili

#### MISURE STANDARD DISPONIBILI A MAGAZZINO Teknoprene ® TPV (EPDM) 64 - 55 SHORE A - BEIGE - FDA

D. in	t /	Wall	/ C	). ext	D. int	/	Wall	/	D. ext	D. in	t /	Wall	/ [	D. ext	D. int	/	Wall	/ D	. ext
0.8	X	1.6	X	4	4.8	X	0.8	X	6.4	9.6	X	2.4	X	14.4	19	X	3.2	X	25.4
1.6	Х	0.8	Х	3.2	4.8	Χ	1.6	Χ	8	9.6	Χ	3.2	Χ	16	19	X	4.8	Χ	28.6
1.6	X	1.6	Х	4.8	4.8	Χ	2.4	Х	9.6	9.6	Χ	4.8	Х	19.2	19	Х	6.4	Χ	31.8
1.6	X	2.4	Х	6.4	4.8	Χ	3.2	X	11.2	12.7	Χ	1.6	Χ	15.9	19	X	8	Χ	35
2.4	Х	0.8	Х	4	6.4	Χ	0.8	Χ	8	12.7	Χ	3.2	Χ	19.1	25.4	X	3.2	Χ	31.8
2.4	Х	1.6	Х	5.6	6.4	Χ	1.6	Χ	9.6	12.7	Χ	4.8	Χ	22.3	25.4	Х	4.8	Χ	35
3.2	Х	0.8	Х	4.8	6.4	Χ	2.4	Х	11.2	12.7	Χ	6.4	Χ	25.5	25.4	Х	6.4	Χ	38.2
3.2	Х	1.6	Χ	6.4	6.4	Χ	3.2	Χ	12.8	15.9	Χ	2.4	Χ	20.7	25.4	Х	8	Χ	41.4
3.2	X	2.4	Χ	8	6.4	Χ	4.8	Χ	16	15.9	Χ	3.2	Χ	22.3	31.8	Х	4.8	Χ	41.4
3.2	Χ	3.2	Χ	9.6	8	Χ	1.6	Χ	11.2	15.9	Χ	4.8	Χ	25.5	31.8	Χ	6.4	Χ	44.6
					8	Χ	2.4	Х	12.8	15.9	Χ	6.4	Х	28.7	31.8	X	8	Χ	47.8
					8	Χ	3.2	Χ	14.4										7

#### \*Altre misure e colori realizzabili su richiesta

\*Other sizes and colours available on request



Teknoprene® TPV è il marchio registrato di Teknofluor Srl





# TEKNOPRENE® TUBES THERMOPLASTIC RUBBER



Teknofluor Srl, active since 1982, has always been specialized in the extrusion of rubber pipes for use on peristaltic pumps. We offer a wide range of special rubbers, including vulcanized thermoplastic rubber and olefin rubber. Our experience in extrusion, together with a series of in-depth studies, gives birth to our registered trademark Teknoprene®, a family of tyres designed for specific industrial applications. This range of special peristaltic pump tubing includes a range of four different products to suit all possible applications and allows peristaltic pump users wide versatility with all chemicals: Teknoprene® TPV, Teknoprene® SIL, Teknoprene®

FKM, Teknoprene® HCR. We work together with the main users of peristaltic pumps, developing tubes in different configurations, such as coils or split, to meet every need. We can also make coloured rubber tubes on customer request. We have a large stock of standard sizes always available. We can also supply special size tubes at customer's request. We also provide the possibility to make internal cleaning on the tubing.

### Teknofluor Srl



teknofluor@teknofluor.it

www.teknofluor.it

